

Site	Date	pH	DO-mg/l	chi Dept	Date	N	P
MR14	3/24/01	7.3	10.10	1.0	4/6/01	0.298	0.001
MR14	4/21/01	8.2	9.20	3.5	5/10/01	0.262	0.013
MR14	4/6/01	7.5	10.20	2.5	7/5/01	0.300	0.013
MR14	5/10/01	7.1	3.60	3.5	8/10/01	0.311	0.020
MR14	5/28/01	7.1	4.10	1.0	9/7/01	0.385	0.022
MR14	6/24/01	7.6	7.70	2.5	9/18/01		
MR14	7/16/01	8.0	9.30	2.5	10/4/01	0.302	0.016
MR14	7/5/01	8.0	8.80	2.5	10/16/01		
MR14	8/10/01	7.6	5.50	2.0	11/11/01	0.298	0.011
MR14	8/25/01	7.7	6.70	2.0	3/8/02	0.536	0.011
MR14	9/7/01	8.2	8.60	1.5	5/10/02	0.389	0.010
MR14	9/18/01	7.7	7.10	2.0	6/10/02	0.305	0.006
MR14	10/4/01	7.4	6.00	2.5	7/3/02	0.330	0.010
MR14	10/16/01	7.3	6.10	3.0	8/7/02	0.417	0.024
MR14	11/11/01	7.4	7.70	5.5	9/4/02	0.494	0.017
MR14	3/8/02	7.8	10.70	2.5	10/9/02	0.354	0.011
MR14	3/24/02	7.8	10.30	3.5	11/8/02	0.281	0.009
MR14	4/19/02	7.3	6.50	4.0	3/18/2003	1.180	0.320
MR14	5/10/02	7.3	6.10	3.0	4/12/2003		0.012
MR14	5/22/02	7.2	8.00	3.5	6/8/2003	1.272	0.017
MR14	6/10/02	8.0	8.70	3.0	7/13/2003	0.517	0.043
MR14	6/18/02	7.3	7.60	2.5	8/8/2003	0.416	0.051
MR14	7/3/02	7.6	7.30	3.0	9/5/2003	0.410	0.060
MR14	7/19/02	7.4		2.5	4/10/2004	0.950	0.030
MR14	8/7/02	7.9	9.10	2.3	5/8/2004	0.81	0.06
MR14	8/22/02	8.0	8.40	2.0	6/12/2004	0.65	0.05
MR14	9/4/02	7.7	8.40	2.5	7/9/2004	0.54	0.06
MR14	9/18/02	7.5	7.10	3.0	8/8/2004	0.85	0.132
MR14	10/9/02	7.4	5.50	3.0	9/24/2004	0.62	0.06
MR14	10/23/02	7.4	8.00	6.0	10/9/2004	0.6	0.06
MR14	11/8/02	7.8	11.90	4.0	4/9/2005	1.037	0.069
MR14	3/18/2003	7.8	11.40	4.3	5/6/2005	0.94	0.06
MR14	4/12/2003	7.2	11.30	2.5	6/6/2005	0.61	0.05
MR14	4/24/2003	8.0	10.30	3.0	7/10/2005	0.55	0.06
MR14	6/8/2003	6.8	3.70	1.0	8/12/2005	0.84	0.13
MR14	6/20/2003	6.9	5.10	0.8			
MR14	7/13/2003	8.5	8.10	1.0			
MR14	8/8/2003	8.0	7.90	1.8			
MR14	8/22/2003	8.1	8.60	1.5			
MR14	9/5/2003	7.4	5.60	1.0			
MR14	9/20/2003	7.0	4.30	1.0			
MR14	10/9/2003	7.9	8.50	3.0			
MR14	10/24/2003	7.8	7.60	3.0			
MR14	11/8/2003	7.0	5.70	2.5			
MR14	4/10/2004	7.0	8.6	2.00			
MR14	4/24/2004	7.3	7.5	2.00			
MR14	5/8/2004	6.9	4.6	2.00			
MR14	5/22/2004	7.2	7.0	2.00			
MR14	6/12/2004	7.2	6.8	2.50			
MR14	6/26/2004	7.3	7.5	3.00			
MR14	7/9/2004	7.0	5.1	3.50			
MR14	7/22/2004	7.5	7.1	3.00			
MR14	8/8/2004	7.5	6.2	2.00			
MR14	8/20/2004	7.6	7.1	2.00			
MR14	9/11/2004	7.8	8.0	2.00			
MR14	9/24/2004	7.7	7.1	2.50			
MR14	10/9/2004	7.4	7.3	2.50			
MR14	10/23/2004	7.4	9.0	4.00			
MR14	4/9/2005	7.0	6.90	1.75			
MR14	4/23/2005	7.2	5.20	2.00			
MR14	5/6/2005	7.4	7.50	2.00			
MR14	6/6/2005	7.3	6.20	2.00			
MR14	6/18/2005	7.6	8.00	2.50			
MR14	7/10/2005	7.9	8.80	2.50			
MR14	7/19/2005	7.8	6.60	2.00			
MR14	8/12/2005	7.7	4.30	1.50			
MR14	8/24/2005	7.5	3.70	1.50			

